
L Number	Hits	Search Text	DB	Time stamp
8	6	("5854929" "5896521" "6142683").pn.	USPAT;	2003/05/05 09:57
]		од 1000 у гр. г.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
15	0	Ussery.in. and debug.ti.	USPĀT;	2003/05/05 09:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	27	Ussery.in.	USPAT;	2003/05/05 09:58
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
29	ا م	barry.in and configurable and	USPAT;	2003/05/05 09:59
		multi-processor	US-PGPUB;	2003,03,03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	0	barry.in and configurable	USPĀT;	2003/05/05 09:59
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
43	120	barry.in. and configurable	IBM_TDB USPAT;	2003/05/05 10:00
43	120	barry.in. and confrigurable	US-PGPUB;	2003/03/03 10:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
50	2	coprocessing/debug and barry.in.	USPĀT;	2003/05/05 10:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	 (configurable adj processor) and monitor	IBM_TDB USPAT;	2003/05/01 08:44
-	1	and (instruction near5 insert\$3) and state	US-PGPUB;	2003/03/01 08:44
		and (dependenc\$3 or interdependenc\$3)	EPO; JPO;	
		and (dependency of incorrespondency)	DERWENT;	
			IBM_TDB	
-	13	(configurable adj processor) and tool and	USPAT;	2003/04/24 17:45
		state .	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	226	717/124.ccls.	USPAT;	2003/05/01 07:35
		11,,124.0010.	US-PGPUB;	2003,03,01 07.33
			EPO; JPO;	
			DERWENT;	
ľ			IBM_TDB	
-	133	717/125.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	179	717/128.ccls.	USPAT;	2003/05/01 07:35
		,	US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	176	717/131.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TOB	
-	36	717/132.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	33	717/133.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	361	712/227.ccls.	IBM_TDB	2002/05/01 07:36
-	301	/12/22/.CCIS.	USPAT; US-PGPUB;	2003/05/01 07:36
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
l -	229	712/209.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	422	714/10.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	200		IBM_TDB	
-	389	714/11.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
1			EPO; JPO;	
	 		DERWENT; IBM TDB	j
_	160	714/12.ccls.	USPAT;	2003/05/01 07:36
	100	111/12.0013.	US-PGPUB;	2003/03/01 07.30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	269	714/37.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		_	IBM_TDB	!
-	1002	714/38.ccls.	USPAT;	2003/05/01 07:37
	ļ		US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	
_	285	714/45.ccls.	IBM_TDB USPAT;	2003/05/01 07:37
	203	714745.0015.	US-PGPUB;	2003/03/01 07.37
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	347	714/46.ccls.	USPAT;	2003/05/01 07:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	714/46.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 07:42
		processor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	717/124.ccls. and (configur\$4 adj	USPAT;	2003/05/01 07:43
	1	processor) and state	US-PGPUB;	2003/03/01 07:43
		processor, and scace	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	717/124.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 08:39
		processor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	712/227.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 08:39
		processor)	US-PGPUB;]
			EPO; JPO;	1
1				
1			DERWENT; IBM TDB	

-	1	712/209.ccls. and (configur\$4 adj	USPAT;	2003/05/01 08:40
		processor)	US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	3	714/10.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 08:40
		processor)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1_	3	714/11.ccls. and (configur\$4 adj	IBM_TDB USPAT:	2003/05/01 08:41
	3	processor)	US-PGPUB;	2003/03/01 00.41
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	714/37.ccls. and (configur\$4 adj	USPAT;	2003/05/01 08:41
		processor)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	714/38.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 08:42
		processor)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	74	configurable adj (processor or pu or	USPAT;	2003/05/01 08:47
		(processing adj unit)) and state	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	91	(adaptable or modifiable or configurable)	IBM_TDB USPAT;	2003/05/01 08:48
	71	adj (processor or pu or (processing adj	US-PGPUB;	2003/03/01 00.40
		unit)) and state	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	(adaptable or modifiable or configurable)	USPAT;	2003/05/01 09:10
		<pre>adj (processor or pu or (processing adj unit)) and state and (debug\$4 or monitor\$3</pre>	US-PGPUB; EPO; JPO;	
		or trac\$3 or instrument\$5 or insert\$3 or	DERWENT;	
		simulat\$3) and (dependen\$4 or	.IBM_TDB	
		<pre>inter-dependen\$4 or (inter adj dependen\$4)</pre>	-	
_	1	or interdependen\$4) (debug\$4 or monitor\$3 or trac\$3 or	Henam.	2002/05/01 00 05
-	1	instrument\$5 or insert\$3 or	USPAT; US-PGPUB;	2003/05/01 09:25
		simulat\$3)near3 ((adaptable or modifiable	EPO; JPO;	
		or configurable) adj (processor or pu or	DERWENT;	
		(processing adj unit))) and state and	IBM_TDB	
		(dependen\$4 or inter-dependen\$4 or (inter	1	
_	1	adj dependen\$4) or interdependen\$4) (debug\$4 or monitor\$3 or trac\$3 or	IISDAT.	2003/05/01 09:28
	1	instrument\$5 or insert\$3 or	USPAT; US-PGPUB;	2003/03/01 09:28
		simulat\$3)near5 ((adaptable or modifiable	EPO; JPO;	
		or configurable) adj (processor or pu or	DERWENT;	
		(processing adj unit))) and state and	IBM_TDB	
		(dependen\$4 or inter-dependen\$4 or (inter		
_	1	adj dependen\$4) or interdependen\$4) (debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:29
	*	instrument\$5 or insert\$3 or	US-PGPUB;	2003/03/01 09:29
		simulat\$3)near5 ((adaptable or modifiable	EPO; JPO;	
		or configurable) adj (processor or pu or	DERWENT;	
		(processing adj unit))) and state	IBM_TDB	0000465455
-	19	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:30
		<pre>instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or</pre>	US-PGPUB; EPO; JPO;	
		configurable) adj (processor or pu or	DERWENT;	
		(processing adj unit))) and state	IBM TDB	
-	19	(debug\$4 or monitor\$3 or trac\$3 or	USPĀT;	2003/05/01 09:39
		instrument\$5 or insert\$3 or simulat\$3)same	US-PGPUB;	
		((adaptable or modifiable or configurable)	EPO; JPO;	ļ
		<pre>adj (processor or pu or (processing adj unit))) and state</pre>	DERWENT; IBM TDB	
		unit() and state	TDG IDD	<u> </u>

- 18648 (debug\$4 or monitor\$3 or trac\$3 or USPAT; instrument\$5 or insert\$3 or simulat\$3) US-PGPU	2003/05/01 09:42
	* · · · · · · · · · · · · · · · · · · ·
near3 state and (pu or processor or EPO; JP microprocessor or (processing adj unit)) DERWENT	
IBM TDB	·
- 4636 (debug\$4 or monitor\$3 or trac\$3 or USPAT;	2003/05/01 09:44
instrument\$5 or insert\$3 or simulat\$3) US-PGPU	
near3 state same (pu or processor or EPO; JP	
microprocessor or (processing adj unit)) DERWENT	
IBM TDB	
- 355 (debug\$4 or monitor\$3 or trac\$3 or USPAT;	2003/05/01 09:45
instrument\$5 or insert\$3 or simulat\$3) adj US-PGPU	· I
state near3 (pu or processor or EPO; JP	
microprocessor or (processing adj unit)) DERWENT	;
IBM_TDB	2002/05/01 00 54
- 10 (debug\$4 or monitor\$3 or trac\$3 or USPAT; instrument\$5 or insert\$3 or simulat\$3) adj US-PGPU	2003/05/01 09:54
state near3 (pu or processor or EPO; JP	•
microprocessor or (processing adj unit)) DERWENT	
and 717/???.ccls.	· I
- 13 (debug\$4 or monitor\$3 or trac\$3 or USPAT;	2003/05/01 10:06
instrument\$5 or insert\$3 or simulat\$3) adj US-PGPU	1
state near3 (pu or processor or EPO; JP	
microprocessor or (processing adj unit)) DERWENT	
and 714/???.ccls. IBM_TDB	
- 9 (debug\$4 or monitor\$3 or trac\$3 or USPAT;	2003/05/01 10:06
instrument\$5 or insert\$3 or simulat\$3) adj US-PGPU	- ·
state near3 (pu or processor or EPO; JP	
microprocessor or (processing adj unit)) DERWENT	· I
and 712/???.ccls. IBM_TDB	
- 29874 (access\$3 or query or querying) near3 USPAT;	2003/05/01 14:55
(processor or pu or (processing adj unit) US-PGPU adj state) EPO; JP	•
adj state) EPO; JP	
IBM TDB	
- 49786 (debug\$4 or monitor\$3 or instrument\$3 or USPAT;	2003/05/01 14:56
access\$3 or profil\$3 or trac\$3 or query or US-PGPU	
querying) near3 (processor or pu or EPO; JP	· ·
(processing adj unit) adj state) DERWENT	;
IBM_TDB	
- 59211 (debug\$4 or monitor\$3 or instrument\$3 or USPAT;	2003/05/01 14:57
access\$3 or profil\$3 or trac\$3 or query or US-PGPU	
querying) near3 state EPO; JP	
DERWENT	<i>'</i>
- 543 access\$3 near3 processor near3 state USPAT;	2003/05/01 14:58
US-PGPU	
EPO; JP	
DERWENT	
IBM TDB	· I
- 119 access\$3 near3 processor adj state USPAT;	2003/05/01 14:58
US-PGPU	
EPO; JP	I
DERWENT	;
IBM_TDB	0000/05/04 11 55
- 2 query adj processor adj state USPĀT;	2003/05/01 14:59
US-PGPU	
EPO; JP. DERWENT	-
IBM TDB	' [
- 1075 debug\$4 near3 processor USPAT;	2003/05/01 14:59
US-PGPU	
EPO; JP	-
DERWENT	
IBM TDB	`
- 396 debug\$4 near3 processor and 7??/???.ccls. USPAT;	2003/05/01 15:07
US-PGPU.	
EPO; JPO	
DERWENT	;
IBM TDB	

-	2	debug\$4 near3 processor adj (creation or	USPAT;	2003/05/01 15:11
	1	design or development or configuration) and 7??/???.ccls.	US-PGPUB; EPO; JPO;	
			DERWENT;	
		l.,	IBM_TDB	
-	0	debug\$4 near3 (configur\$4 adj processor)	USPAT;	2003/05/01 15:11
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	986	configur\$4 adj processor	USPAT;	2003/05/01 15:12
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	678		USPAT;	2003/05/01 15:13
		debug\$4 or monitor or instrument\$5)	US-PGPUB; EPO; JPO;	
	}		DERWENT;	
	1		IBM_TDB	1
-	479	configur\$4 adj processor and (test\$3 or	USPAT;	2003/05/01 16:13
	-	debug\$4 or monitor or instrument\$5) and state	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	,	USPAT	2003/05/01 15:32
		"5819050" "5854929" "5870588" "5999734" "6006022" "6182206"		
		"6195593").PN.		
-	0	6477683.URPN.	USPAT	2003/05/01 15:37
-	5	("5303350" "5452467" "5635855" "5777885" "6272465").PN.	USPAT	2003/05/01 15:42
-	26494		USPAT;	2003/05/01 16:16
		interdependencies or inter-dependencies)	US-PGPUB;	2003,03,01 10.10
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1253	processor near5 state and (dependency or	USPAT;	2003/05/01 16:28
		dependencies or interdependencies or	US-PGPUB;	
		inter-dependencies)	EPO; JPO;	
			DERWENT; IBM TDB	
-	325	processor near5 state and (dependency or	USPAT;	2003/05/01 16:32
		dependencies or interdependencies or	US-PGPUB;	
		inter-dependencies) and debug\$4	EPO; JPO;	
1			DERWENT; IBM TDB	
-	260	processor near5 state and (dependency or	USPAT;	2003/05/01 16:33
		dependencies or interdependencies or	US-PGPUB;	
1		inter-dependencies) and debug\$4 and 7??/???.ccls.	EPO; JPO; DERWENT;	
		,	IBM TDB	
-	28	r =	USPĀT;	2003/05/01 16:35
		dependencies or interdependencies or	US-PGPUB;	
1		inter-dependencies) and debug\$4 and 7??/???.ccls.	EPO; JPO; DERWENT;	
1			IBM TDB	
-	0	paratal manage date day (dependency of	USPĀT;	2003/05/01 16:35
		dependencies or interdependencies or inter-dependencies) and debug\$4 and	US-PGPUB;	
		7??/??.ccls.	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	processor near5 state adj (dependency or	USPĀT;	2003/05/01 16:35
		dependencies or interdependencies or inter-dependencies)	US-PGPUB;	
		Turer - debendeuctes /	EPO; JPO; DERWENT;	
			IBM_TDB	
-	11	("5359546" "5537560" "5841670"	USPĀT;	2003/05/05 08:11
		"6182245" "6510402" "5371883").pn.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
			 	



Member Services

- O- Join IEEE
 O- Establish IEEE
 Web Account
- O- Access the IEEE Member Digital Library
- Print Format

1 Stochastic modeling of scaled parallel programs

Malony, A.D.; Mertsiotakis, V.; Quick, A.;
Parallel and Distributed Systems, 1994. International
Conference on , 19-22 Dec 1994

Page(s): 272 -279


[Abstract] [PDF Full-Text (884 KB)] **IEEE CNF**

2 Enable++: a general-purpose L2 trigger processor

Hogl, H.; Kugel, A.; Ludvig, J.; Manner, R.; Noffz, K.H.; Zoz, R.;

Nuclear Science Symposium and Medical Imaging Conference Record, 1995., 1995 IEEE, Volume: 2, 21-28 Oct 1995

Page(s): 667 -671 vol.2



[Abstract] [PDF Full-Text (532 KB)] **IEEE CNF**

2 Enable++: a second generation FPGA processor

Hogl, H.; Kugel, A.; Ludvig, J.; Manner, R.; Noffz, K.H.; Zoz, R.;

FPGAs for Custom Computing Machines, 1995.

Proceedings. IEEE Symposium on , 19-21 Apr 1995

Page(s): 45 -53